ADHESIVES & SEALERS



Adhesives and Sealers... Fast, Sure and Easy.

At Norton, we don't just make the best sandpaper in the world. We offer the finest adhesives, sealers and coatings too. All designed for fast, sure, easy work around the shop. To help you get troublesome jobs done right, the first time, every time.

Super Bond Weatherstrip Adhesive

Super Bond Weatherstrip Adhesive is a fast setting, high-bond strength adhesive. Used to bond rubber or vinyl weatherstrips to doors, trunks, windows, etc. Nasal tip or controlled bead. Instant tack. Strong bond. Fast drying. Waterproof. Resists oil, grease and silicone.

Super Bond Emblem and Trim Adhesive, Clear

A clear, colorless adhesive with fast tack times and excellent adhesion to almost any surface. Serves as a replacement for a wide variety of adhesive products for bonding metals, plastic, vinyl or rubber. A multipurpose product, it allows for the reduction of specialty adhesives for unique applications.

No. 10 Disc Adhesive

A specially formulated bonding agent, No. 10 Disc Adhesive is designed for use in automotive refinishing, for holding abrasive discs to any back-up pad. Heat-resistant for long tackiness and repeat usage. A good general-purpose adhesive which may be used for temporary or for more permanent bonds.

Heavy Duty Spray Trim Adhesive

A fast drying, super strength adhesive in an aerosol can. Used to bond carpeting, urethane foam, insulation, supported vinyl, wood, paper, hood pads, and headliners to most substrates. Convenient adjustable spray nozzle for varied applications.

SIZE	5 OZ TUBE	CASE
DESCRIPTION	076607-	
Super Bond Weatherstrip Adhesive		
Black	82705	12
Amber	82706	12
Super Bond Emblem and Trim Adhesive, Clear	82710	12
No. 10 Disc Adhesive	82720	12
SIZE	15.75 OZ CAN	CASE
DESCRIPTION	076607-	
Heavy Duty Spray Trim Adhesive	82725	12

Urethane Windshield Sealer

A primerless, one part urethane adhesive sealant for full-cut and short-cut methods of windshield and backlite installations. Easy handling and fast-set properties. Excellent shelf life. Passes the Motor Vehicle Safety Standard #212 windshield barrier test and the #216 crush test.



SIZE	1/10 GAL. CARTRIDGE	CASE
DESCRIPTION	076607-	
Urethane Windshield Sealer	82735	12

ADHESIVES AND SEALERS


Glass-Grip Butyl Ribbon Sealer

The same high-quality, high-strength butyl tape supplied to the OEM's for years. Used in the installation of auto glass windshields. Excellent adhesion, conformity, and unlimited shelf life. Can be used year round; bonds and seals well in all weather.

SIZE	15 FEET	CASE
DESCRIPTION	076607-	
5/16" Ribbon Sealer, Black	82740	12
3/8" Ribbon Sealer, Black	82741	12

Brushable Seam Sealer

A fast-setting, brush grade sealant that can be used to seal any body seam against moisture or dust. Skins in five minutes; can be painted in 30 minutes. Used on flat seams in trunk areas or to finish skin panels. Cartridge container allows for ease of application along continuous seams. Can hold brush marks for OEM appearance. Excellent toolability.



Urethane Seam Sealer


A one-component, polyurethane seam sealer that cures quickly to a permanent, flexible sealant designed for sealing interior and exterior body joints and seams. Cured material can be painted in one hour. This product duplicates OEM appearance. The high solids composition of this material enables the product to be used in a paint bake booth. Flexible foil package eliminates product waste. For use with Application Gun (#82786) on page 47.

		
DESCRIPTION	076607-	
Urethane Seam Sealer	82751	6

SAUSAGE PACK


Quick-Set Seam Sealer

Designed to meet the flexibility requirements associated with modern unibody construction, Quick-Set Seam Sealer can be used to seal any body seam against moisture or dust and to finish skin panels. Applies easily, skins in 2 minutes, paintable in 30 minutes. Provides fast paint times with outstanding tooling. Remains flexible when dry. Excellent adhesion to numerous substrates.



Strip Caulk

Waterproof strip caulk is a non-hardening, non-shrinking, rope sealer than can be used to seal cracks, seams, joints or housings. No tools required for installation. Simply press into place. Available in black or gray. Each strip is 3/16" x 1'



Zinc Rich Weld-Thru Primer


Easy and convenient way to restore OEM zinc corrosion protection to vehicles, Norton Zinc Rich Primer is fast drying, and resists sags and settling. It is water resistant after 15 minutes, and may be topcoated if desired. Excellent heat resistance up to 500°F. Convenient aerosol can allows application to the metal surface either before or after welding.

SIZE	16 OZ CAN	CASE
	Brain and a second	
DESCRIPTION	076607-	
Zinc Rich Weld-Thru Primer	82781	12

ADHESIVES AND SEALERS

Rocker-Panel Texture Coat

A rapid drying, flexible, abrasion-resistant protective coating that can be varied to match OEM textures as found on rocker panels and valances. Designed for under-the-paint use as an original or replacement texturized coating. Use either over or under enamels or lacquers. Paintable in 30-45 minutes. Highly chip resistant. Convenient aerosol application requires no clean up.




Rubberized Undercoat

Seals out rust, fumes, heat and cold while protecting underbody areas. Excellent adhesion that won't crack or chip under normal conditions. Ideal on new panel and fender replacements, section repairs, weld joints and rust holes. Fast drying, economical, with excellent coverage. Requires no equipment to clean up.

SIZE	
DESCRIPTION 076607-	
Premium Rubberized Undercoat 24 oz. 82775 6	
Rubberized Undercoating 20 oz. 82776 6	

Panel and Adhesive Cleaner

Removes adhesives, tar, grease, wax, body sealers, undercoating sprays, and silicone from most surfaces. Aggressive cleaner is safe to use on most paint applications. Packaged with squirt dispenser. Use as directed.



Application Gun

Designed for use with Norton Urethane Seam Sealer (#82751) on page 46. This item is a fully enclosed metal unit, which provides fast and efficient application of seam sealer material.

